L Number	Hits	Search Text	DB	Time stamp
2	0	5951694.pn. and (transfer\$5 with user with	USPAT;	2003/10/27
_		map)	EPO; JPO;	14:54
			DERWENT;	
			IBM_TDB	
1	1	5951694.pn. and (transfer\$5 with gateway	USPAT;	2003/10/27
		with map)	EPO; JPO;	14:54
			DERWENT;	
			IBM_TDB	
-	1193	"service provider" with address	USPAT;	2003/03/24
		<u>.</u>	EPO; JPO;	14:34
			DERWENT:	
			IBM_TDB	
	0	("service provider" with address) with "map	USPAT;	2003/03/21
		or table or chart or lookup"	EPO; JPO;	09:34
		,	DERWENT;	
			IBM_TDB	
_	0	(("service provider" with address) with	USPAT;	2003/03/24
	•	(map or table or chart or lookup or list))	EPO; JPO;	16:12
		with manager	DERWENT;	13112
		With manager	IBM_TDB	
_	0	(("service provider" with address) with	USPAT;	2003/03/21
_		(map or table or chart or lookup or list))	EPO; JPO;	09:35
		same manager	DERWENT;	03.33
		same manager	IBM_TDB	
	125	("service provider" with address) with (map	USPAT;	2003/03/24
•	125	or table or chart or lookup or list)	EPO; JPO;	16:13
		or table of chart of lookup of list)	DERWENT;	10.15
			IBM TDB	
	o	"service adj address" with (map or table or	USPAT;	2003/03/21
•		chart or lookup or list)	EPO; JPO;	09:40
		Chart of lookup of list)	DERWENT;	03.40
			IBM_TDB	
		Vacuuise adi adduses Vacuus (man ay table ay	-	2003/03/21
•	0	"service adj address" same (map or table or	USPAT;	
		chart or lookup or list)	EPO; JPO;	09:40
			DERWENT;	
	406	(annies adi adduses) some (man autobio au	IBM_TDB	2002/02/24
•	126	(service adj address) same (map or table or	USPAT;	2003/03/21
		chart or lookup or list)	EPO; JPO;	09:41
			DERWENT;	
		(semiles adjadduess) with (man antable an	IBM_TDB	2002/02/24
•	60	(service adj address) with (map or table or	USPAT;	2003/03/21
		chart or lookup or list)	EPO; JPO;	09:54
			DERWENT;	
	F000	(man an aliand) with a same 241 (IBM_TDB	2002/22/24
-	5600	(user or client) with access with (map or	USPAT;	2003/03/21
		table or chart or lookup or list)	EPO; JPO;	09:56
			DERWENT;	
			IBM_TDB	

•	7093	(user or client) with access\$5 with (map or	USPAT;	2003/03/21
		table or chart or lookup or list)	EPO; JPO;	09:56
			DERWENT;	
			IBM_TDB	
•	19	((user or client) with access with (map or	USPAT;	2003/03/21
		table or chart or lookup or list)) and	EPO; JPO;	09:56
		((service adj address) with (map or table or	DERWENT;	
		chart or lookup or list))	IBM_TDB	
•	21	((user or client) with access\$5 with (map or	USPAT;	2003/03/21
		table or chart or lookup or list)) and	EPO; JPO;	09:56
		((service adj address) with (map or table or	DERWENT;	^
		chart or lookup or list))	IBM_TDB	
-	3	load with balanc\$6 with target with	USPAT;	2003/03/24
		address	EPO; JPO;	13:41
			DERWENT;	
			IBM_TDB	
-	0	load with balanc\$6 with target\$2 with	USPAT;	2003/03/24
		removed	EPO; JPO;	13:35
			DERWENT;	
			IBM_TDB	
•	126	load with balanc\$6 with target\$2	USPAT;	2003/03/24
			EPO; JPO;	13:36
			DERWENT;	
			IBM_TDB	
-	0	load with balanc\$6 with "all possible"	USPAT;	2003/03/24
			EPO; JPO;	13:37
			DERWENT;	
			IBM_TDB	
-	0	load with balanc\$6 with all	USPAT;	2003/03/24
			EPO; JPO;	13:37
			DERWENT;	
			IBM_TDB	
-	854	load with balanc\$6 with possible	USPAT;	2003/03/24
			EPO; JPO;	13:37
			DERWENT;	
			IBM_TDB	
-	0	load with balanc\$6 with all	USPAT;	2003/03/24
			EPO; JPO;	13:38
			DERWENT;	
			IBM_TDB	
-	13	(load with balanc\$6 with target\$2) and	USPAT;	2003/03/24
		(load with balanc\$6 with possible)	EPO; JPO;	13:38
			DERWENT;	
			IBM_TDB	
-	60	load with balanc\$6 with (select\$5 or	USPAT;	2003/03/24
		choose) with service\$1	EPO; JPO;	13:45
			DERWENT;	
			IBM_TDB	
-	1	(load with balanc\$6 with (select\$5 or	USPAT;	2003/03/24
		choose) with service\$1) and (load with	EPO; JPO;	13:45
		balanc\$6 with target\$2)	DERWENT;	
	1		IBM_TDB	

- 2 "service provider" with address with EPO; JPO; 13:55 DERWENT; IBM_TDB - 0 backup with address with alternate with provid\$6 with service EPO; JPO; 13:57 DERWENT; EPO; JPO; 13:57	
DERWENT; IBM_TDB backup with address with alternate with provid\$6 with service DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;)3/24
- 0 backup with address with alternate with provid\$6 with service IBM_TDB USPAT; 2003/0 EPO; JPO; 13:57 DERWENT;	13/24
- 0 backup with address with alternate with provid\$6 with service EPO; JPO; DERWENT;)3/24
provid\$6 with service EPO; JPO; DERWENT;	03/24
DERWENT;	
IBM_TDB	
- 4 backup with address with provid\$6 with USPAT; 2003/0)3/24
service EPO; JPO; 13:56	
DERWENT;	
IBM_TDB	
- 2 backup with alternate with provid\$6 with USPAT; 2003/)3/24
service EPO; JPO; 13:59	
DERWENT;	
IBM_TDB	
- 0 backup with ("service provider" with USPAT; 2003/)3/24
address) with (map or table or chart or EPO; JPO; 14:00	
lookup or list) DERWENT;	
IBM_TDB	
- 125 ("service provider" with address) with (map USPAT; 2003/)3/24
or table or chart or lookup or list) EPO; JPO; 14:06	
DERWENT;	
IBM_TDB	
0 (("service provider" with address) with USPAT; 2003/)3/24
(map or table or chart or lookup or list) EPO; JPO; 14:00	
and alternat DERWENT;	
IBM_TDB	00/04
- 38 (("service provider" with address) with USPAT; 2003/	J3/24
(map or table or chart or lookup or list)) EPO; JPO; 14:01	
and alternate DERWENT;	
- 3 (("service provider" with address) with USPAT; 2003/	03/24
(map or table or chart or lookup or list) EPO; JPO; 14:01	
IBM_TDB	
- 9 intermittently with generate with (map or USPAT; 2003/	03/24
table or chart or lookup or list) EPO; JPO; 14:08	
DERWENT;	
IBM_TDB	
- 11 (intermittent\$4 or period\$6) with generate USPAT; 2003/	03/24
with (map or table or chart or lookup or list) EPO; JPO; 14:08	
with service DERWENT;	
IBM_TDB	
- 1 5951694.pn. and address USPAT; 2003/	03/24
EPO; JPO; 14:34	
DERWENT;	
IBM_TDB	
- 0 client with value with server with epoch USPAT; 2003/	03/24
EPO; JPO; 15:50	
DERWENT;	
IBM_TDB	

-	2	client with server with epoch	USPAT;	2003/03/24
		·	EPO; JPO;	15:51
			DERWENT;	
			IBM_TDB	
_	24	client with server with value with	USPAT;	2003/03/24
		performance	EPO; JPO;	15:51
		portormano	DERWENT;	
		•	IBM_TDB	
	1	5951694.pn. and performance	USPAT;	2003/03/24
-	•	oss ros-ana periormance	EPO; JPO;	15:54
			DERWENT;	10.04
			IBM_TDB	
	1	5951694.pn. and performance and backup	USPAT;	2003/03/24
-	1	555 1654.pn. and performance and backup	1	15:56
			EPO; JPO;	13:36
			DERWENT;	
	ا م	5054604 nn and avec-469	IBM_TDB	2003/03/24
•	1	5951694.pn. and execut\$8	USPAT;	2003/03/24
			EPO; JPO;	15:56
			DERWENT;	
	400.	141. 4	IBM_TDB	2002/02/04
-	1891	map with topograph\$6	USPAT;	2003/03/24
			EPO; JPO;	16:05
			DERWENT;	
	_		IBM_TDB	
-	0	map with topograph\$6 with client with	USPAT;	2003/03/24
		service	EPO; JPO;	16:05
			DERWENT;	
			IBM_TDB	
-	10	map with topograph\$6 with client	USPAT;	2003/03/24
			EPO; JPO;	16:05
			DERWENT;	
			IBM_TDB	
-	0	709.244.ccls.	USPAT;	2003/03/24
			EPO; JPO;	16:12
			DERWENT;	
			IBM_TDB	
-	81	709/244.ccls.	USPAT;	2003/03/24
			EPO; JPO;	16:13
			DERWENT;	
			IBM_TDB	
-	1110	370/359.ccls.	USPAT;	2003/03/24
			EPO; JPO;	16:13
			DERWENT;	
			IBM_TDB	
-	0	370/359.ccls. and ("service provider" with	USPAT;	2003/03/24
		address) with (map or table or chart or	EPO; JPO;	16:16
		lookup or list)	DERWENT;	
			IBM_TDB	
-	0	370/359.ccls. and (("service provider" with	USPAT;	2003/03/24
1		address) with (map or table or chart or	EPO; JPO;	16:17
		lookup or list))	DERWENT;	
			IBM_TDB	

	165	370/359.ccls. and ((map or table or chart or	USPAT;	2003/03/24
		lookup or list))	EPO; JPO;	16:17
			DERWENT;	
			IBM_TDB	
-	2	5951694.pn.	USPAT;	2003/10/27
			EPO; JPO;	10:04
			DERWENT;	
			IBM_TDB	
	1	5951694.pn. and access\$5	USPAT;	2003/10/27
			EPO; JPO;	10:04
			DERWENT;	
			IBM_TDB	
	1	5951694.pn. and (access\$5 with user)	USPAT;	2003/10/27
			EPO; JPO;	10:05
			DERWENT;	
			IBM_TDB	
	1	5951694.pn. and (access\$5 with user with	USPAT;	2003/10/27
		map)	EPO; JPO;	14:54
			DERWENT;	
			IBM_TDB	
-	2	6520942.pn.	USPAT;	2003/10/27
1			EPO; JPO;	10:26
			DERWENT;	
			IBM TDB	